

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	502	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (address\$2 or entr\$3 or value\$1 or field\$1 or parameter\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:15
L2	1	L1 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:37
L3	2	1 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:19
L4	1	1 same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:36
L5	0	1 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:40
L6	0	1 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:40
L7	24	1 same (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:48
L8	10	1 with (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:35
L9	33	detect\$3 near6 (different near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:40

EAST Search History

L10	0	9 same ((partition adj table) or ((Master adj Boot adj Record) or MBR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:37
L11	0	9 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:00
L12	0	9 same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:20
L13	36	((partition adj table) or ((Master adj Boot adj Record) or MBR)) same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:27
L14	11	((partition adj table) or ((Master adj Boot adj Record) or MBR)) with ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:37
L15	11	13 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:03
L16	5	14 with ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:41
L17	0	13 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:38
L18	0	13 same (different near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:38
L19	3	13 same (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:39

EAST Search History

L20	0	14 with (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:45
L21	0	9 same (legacy adj partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:51
L22	0	9 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:40
L23	5	support\$3 near6 ((old or legacy) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:43
L24	64	support\$3 near6 ((partition adj table) or ((Master adj Boot adj Record) or MBR))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:05
L25	4	support\$3 near6 ((old or legacy) near3 ((partition adj table) or ((Master adj Boot adj Record) or MBR)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:43
L26	4	((partition adj table) or ((Master adj Boot adj Record) or MBR)) near6 ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:00
L27	24	1 same (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:46
L28	10	1 with (partition\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:46
L29	0	1 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:47

EAST Search History

L30	77	1 same ((new or old or current or legacy) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:51
L31	47	1 with ((new or old or current or legacy) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:48
L32	170	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (address\$2 or entr\$3 or field\$1 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:02
L33	0	32 same (legacy near2 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:03
L34	29	32 same ((new or old or current or legacy) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:54
L35	13	32 with ((new or old or current or legacy) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:52
L36	135	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (address\$2 or entr\$3 or field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:06
L37	24	32 same ((new or old) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:54
L38	17	36 same ((new or old) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:58

EAST Search History

L39	10	36 with ((new or old) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:18
L40	2564	manag\$5 near6 partition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:00
L41	6	40 same (legacy near2 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:58
L42	6	40 with (legacy near2 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:58
L43	0	42 same 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:59
L44	0	42 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:59
L45	0	42 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:00
L46	0	42 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:07
L47	10	40 same 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:00
L48	9	40 with 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:01

EAST Search History

L49	64	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:02
L50	0	49 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:02
L51	0	49 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:03
L52	6	40 same (legacy near2 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:03
L53	0	49 same (legacy near2 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:03
L54	5	24 same (different or legacy or old)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:05
L55	4	24 with (different or legacy or old)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:05
L56	82	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (entr\$3 or field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:06
L57	370	(overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (entr\$3 or field\$1 or value\$1 or parameter\$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:20

EAST Search History

L58	0	57 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:18
L59	25	57 same address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:08
L60	12	57 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:13
L61	7	(Buchanan and William and W and JR).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:13
L62	78	((overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (address\$2 or entr\$3 or value\$1 or field\$1 or parameter\$1 or data or information))) and (International adj Business adj Machines).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:16
L63	82	((overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (address\$2 or entr\$3 or value\$1 or field\$1 or parameter\$1 or data or information))) and ((International adj Business adj Machines) or IBM).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:17
L64	1	63 and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:17
L65	0	64 and ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:19

EAST Search History

L66	0	64 and ((new or old) near3 partition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:18
L67	0	64 and ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:19
L68	0	63 and ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:19
L69	1	63 and ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:34
L70	0	63 and ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPRM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:20
L71	7	((overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (entr\$3 or field\$1 or value\$1 or parameter\$1 or data))) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:28
L72	7	((partition adj table) or ((Master adj Boot adj Record) or MBR)) same ((Cylinder adj Head adj Sector) or CHS)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:32
L73	11	("5471603" "5557732" "5694600" "5787246" "5832283" "6009480" "6073188" "6105130" "6415382" "6477482" "6594721").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/16 18:25
L74	15	((partition adj table) or ((Master adj Boot adj Record) or MBR)) same ((Logical adj Block adj Address\$3) or LBA)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:27

EAST Search History

L75	13	((overwrit\$3 or modif\$8 or alter\$6 or chang\$3) near6 ((partition or (partition adj table) or ((Master adj Boot adj Record) or MBR)) near2 (entr\$3 or field\$1 or value\$1 or parameter\$1 or data)))) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:29
L76	13	((((partition adj table) or ((Master adj Boot adj Record) or MBR)) same ((Cylinder adj Head adj Sector) or CHS)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:32
L77	5	76 and ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:35
L78	3	72 and ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:36